



2021 LINEUP

GENERAL XP

XP 1000 (284 SEAT)

GENERAL XP 1000



WALKER EVANS VELOCITY SHOCKS
SPORT ROOF
POLARIS HD 2041 kg WINCH
STAGE 1 AUDIO SYSTEM BY ROCKFORD FOSGATI
SPORT LOW PROFILE FRONT BUMPER
CONVEX REAR VIEW MIRROR
30" PRO ARMOR CRAWLER XG
XL FENDER FLARES

RIDE COMMAND + STAGE 4 AUDIO SYSTEM BY ROCKFORD FOSGATE UPGRADE AVAILABLE.

XP 1000 PURSUIT EDITION (2 & 4 SEAT)



ΙTΕ
SHT
IRT

GENERAL XP 1000 PURSUIT EDITION

GENERAL

DELUXE (2 & 4 SEAT)



GENERAL 1000 DELUXE

PREMIUM PLUS:
FOX PODIUM X 2.0 QS3 SHOCKS
SPORT ROOF
STAGE 1 AUDIO SYSTEM BY ROCKFORD FOSGATE
CONVEX REAR VIEW MIRROR

RIDE COMMAND + STAGE 4 AUDIO SYSTEM BY

PREMIUM (284 SEAT)



GENERAL 1000 PREMIUM

SPORT PLUS:
AUTOMOTIVE PAINT
MATTE BLACK CAST ALUMINUM WHEELS
68.68 cm MAXXIS CORONADO TIRES
SPORT LOW PROFILE FRONT BUMPER
POLARIS HD 2041 kg WINCH
4-SEAT ONLY: FOX PODTUM X 2.0 OS3 SHOCKS

SPORT




4	
ı	100 HP PROSTAR ENGINE
	272 kg DUMPING BOX
green.	STANDARD HALF DOORS
	ELECTRONIC POWER STEERING (EPS)
面房	POLARIS LOCK & RIDE COMPATIBLE
	VERSATRAC TURF MODE

CONTENTS

ACCESSORIES	06
WINDSHIELDS & REAR PANELS	08
DOORS	10
ROOFS	12
VEHICLE & RIDER PROTECTION	13
STORAGE	14
CAB COMFORT	16
HUNT	18
POLARIS NORTHSTAR COOLERS	20
RIDE COMMAND & AUDIO	22
LIGHTING	24
WHEELS & TIRES	26
WINCHES	34
PLOWS & TRACKS	35


36
36
38
40
42
44
46
48
50

APPAREL & HELMETS	54
OUTERWEAR & PROTECTION	54
LIFESTYLE APPAREL & CAPS	60
CAMO & GIFTS	6











WE HOLD OUR PARTNERS TO THE SAME STANDARDS

Designed by the same people who

designed your vehicle.



WHEELS, TIRES & LIGHTING DESIGNED WITH POLARIS TO MAXIMIZE PERFORMANCE P. 25 & 26



A GLOBAL LEADER IN AUDIO INNOVATION, DESIGN & ENGINEERING P. 23




PRODUCTS SO GOOD THEY REPLACE OR REPAIR THEM FOR LIFE P. 24




MAKING PRODUCTS FOR AVID SPORTSMEN SINCE 1943

ENGINEERED TO TAKE ON



offering supreme comfort to your vehicle.



LOCK & RIDE Vented Windshield - Hard Coat Poly: P. 08

Windshield Wiper & Washer System: P. 08

LOCK & RIDE Bed Extender: P. 14

Polaris Northstar 30 QT Cooler: P. 20

LOCK & BIDE Spare Tire Carrier: P. 14

Pro Armor 33" Combo LED Light Bar: P. 25

Light Bar Harness: P. 25

Rear Sport Bumper: P. 13

4-Seat Extreme Kick-Out Rock Sliders: P. 13

LOCK & RIDE Vented Windshield - Hard Coat Poly: P. 08

Sport Roof - Poly: P. 12

XL Fender Flares: P. 13 NOT SHOWN

LOCK & RIDE Cargo Box: P. 15

RIGID SR-Series Combo Light Bar: P. 25

Pro Armor Wheel & Tire Set: P. 33 29" Mud XC & 14" Shackle - Matte Black

Winch: P. 34

LOCK & RIDE Full Windshield - Glass: P. 08 (NOT SHOWN)

Windshield Wiper & Washer System: P. 08 [NOTSHOWN]

LOCK & RIDE Rear Panel - Glass: P. 09

Pro Armor 33" Combo LED Light Bar: P. 25 NOT SHOWN

Polaris Pulse LED Light Bar Harness: Р. 16 иот sноим

In addition to stock accessories

Premium Roof - Poly: P. 12

Full Windshield - Glass: P. 08

Windshield Wiper & Washer System: P. 08


LOCK & RIDE Rear Panel - Glass: P. 09

Polaris Northstar 30 QT Cooler: P. 20

WINDSHIELDS

Keep the elements out and control air flow into the cab.





- Superior optical clarity (automotive level)
- Scratch resistant • Impact-resistant · Curved to fit, seals tight
- Cold weather / heavy duty
- Wiper ready (windshield only)
- · Lightweight, flexible, easy to store/remove
- Tight seal keeps out rain and dust
- Hard Coat: 30x more scratch resistance than regular poly windshields



POLY

HALF WINDSHIELD -

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

» 2881111

LOCK & RIDE REVOLUTIONARY **INSTALLATION**



AIRTIGHT **GASKET SEAL**

HARD COAT POLY



TIP-OUT WINDSHIELD -GLASS TOP SELLER

GLASS

POLARIS GENERAL XP 1000/4 '20-21

FULL WINDSHIELD -GLASS TOP SELLE

WIPER & WASHER

ADD A REAR PANEL TO REDUCE

THE DUST SWIRL

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

VENTED WINDSHIELD -

POLARIS GENERAL XP 1000/4 '20-21

POLARIS GENERAL 1000/4 '16-21

HARD COAT POLY

» 2884223

FLIP-DOWN WINDSHIELD -HARD COAT POLY

» 2889156

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



Offers fully-sealed or flipped-down venting options. Upper half detaches, leaving lower

half for protection with maximum ventilation.

REAR **PANELS**

Turbulent air forms above the cargo bed and behind the cab when you add a windshield. This swirl can carry dirt, dust, leaves, and rain into the cab. Eliminate this phenomenon and control the swirl by installing a rear panel.



FULL WINDSHIELD -

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

HARD COAT POLY

REAR PANEL - GLASS TOP SELLER

» 2881113

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



REAR PANEL - POLY

» 2881112

POLARIS GENERAL XP 1000/4 '20-21

DOORS

COMPLETE YOUR CAB. POLARIS GENERAL comes equipped with half doors. To create an enclosed cab for increased protection from the elements, choose from two great Polaris options.



Six-way glass window adjustability

» 2883717

2-SEAT

POLARIS GENERAL XP 1000/4 '20-21

POLARIS GENERAL XP 4 1000 '20-21

4-SEAT

• Push-out windows

· Kit includes B-pillar cover seal

» 2883082

POLARIS GENERAL 4 1000 '17-21

POLARIS ENGINEERED **ADVANTAGES**



interior liner

PREMIUM POLY

a premium in-cab environment

· Soft-touch, easy-to-clean premium

· Hinged window adjustability

• Impact and scratch-resistant tempered glass

• Fully-sealed design keeps elements out for

FULL DOORS

PREMIUM INTERIOR HANDLE AND LINER



A PERFECT **FIT FOR THE**

ZIP WINDOW UPPER DOORS

ADD UPPER DOORS TO STOCK HALF DOORS

• Durable, rugged canvas stitched over a robust steel frame

GENERAL

· Lightweight, UV-resistant construction

• Retention straps for increased strength

• Zipper windows for increased venting options

• Mounts easily by drilling into stock doors (drill hole plugs included)

2-SEAT

» 2882548

POLARIS GENERAL XP 1000 '20-21 POLARIS GENERAL 1000 '18-21

4-SEAT

» 2883453 POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '18-21

PERFECT SEAL





2-SEAT

ROOF - ALUMINUM

POLARIS GENERAL XP 1000 '20-21 POLARIS GENERAL 1000 '16-21

A PERFECT **FIT FOR THE PERFECT**



PREMIUM FEATURES 8 QUIETER RIDE



POLARIS ENGINEERED **ADVANTAGES**

ALUMINUM VS POLY

- High protection strength
- Lower profile
- Sleek style
- Water run-off
- Pre-existing mounting features
- Liner readv
- Lightweight

4-SEAT

PREMIUM ROOF - POLY

POLARIS GENERAL XP 1000 '20-21 POLARIS GENERAL 1000 '16-21



INCLUDES PREMIUM ROOF LINER

SPORT ROOF - POLY

POLARIS GENERAL XP 1000 '20-21 POLARIS GENERAL 1000 '16-21



PREMIUM ROOF - POLY

» 2883801

POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21



INCLUDES PREMIUM

SPORT ROOF - POLY

POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21

POLY ROOF LINER

POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21 Compatible with Sport Roof - Poly (2883781), sold separately

SPORT

REAR

» 2884345 POLARIS GENERAL XP 1000/4 '20-21

BUMPERS NOT SHOWN

ROCK SLIDERS NOT SHOWN REAR

LOW PROFILE

» 2881102

POLARIS GENERAL 1000 '16-21 Not compatible with XL Fender Flares

EXTREME KICK-OUT

» 2-SEAT • 2881101

POLARIS GENERAL XP 1000 '20-21

POLARIS GENERAL 1000 '16-21 » 4-SEAT • 2881992

POLARIS GENERAL XP 4 1000 '20-21



HMW A-ARM GUARDS NOT SHOWN

FRONT

» 2880274

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

Standard on GENERAL XP models

VEHICLE & RIDER

PROTECTION

Arm your POLARIS GENERAL with Polaris Engineered bumpers and guards to take on any challenge. Engineered for easy, secure installation; providing

added protection for lights, bodywork and suspension.

POLARIS GENERAL 1000 '16-21

HIGH CLEARANCE **FENDER FLARES**

XL TOP SELLER

» 2884220 POLARIS GENERAL 1000/4 '16-21

Not compatible with Low Profile

A-ARM GUARDS

FRONT

» 2884221 POLARIS GENERAL XP 1000/4 '20-21

REAR

» 2884222

POLARIS GENERAL XP 1000/4 '20-21

® SPORT UPPER

FRONT

BUMPERS

SPORT LOW PROFILE

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21 Requires Sport Low Profile Front Bumper

POLARIS GENERAL XP 1000/4 '20-21

POLARIS GENERAL 1000/4 '16-21



EXPANSION ANCHOR MOUNTS

TOUGH EXPANSION ANCHOR MOUNTS DESIGNED FOR POLARIS GENERAL ALLOW FOR QUICK INSTA OF ROCK SLIDERS AND BUMPERS WITHOUT DAMAGING THE VEHICLE'S FRAME.









STORAGE

FALL AVAILABILITY REAR BED STORAGE RACK

SPARE TIRE CARRIER

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

FITS WHEEL UP TO 30"

» 2881529

POLARIS GENERAL XP 1000/4 '20-21

POLARIS GENERAL 1000/4 '16-21

See P. 18 for more info

» 2885113

CARGO BED MAT » 2881933

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

TIP-DOWN HEADACHE RACK

» 2882144

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



FALL AVAILABILITY

KOLPIN STRONGHOLD MOUNT - REAR BED STORAGE RACK

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

See P. 18 for more info

» 2885114



BEHIND SEAT STORAGE BAG

» 2882164

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



BED EXTENDER

POLARIS GENERAL XP 1000/4 '20-21

POLARIS GENERAL 1000/4 '16-21

» 2881547

IN-DASH STORAGE BAG

» 2882165

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21





POLARIS ENGINEERED ADVANTAGES



LOCK & RIDE

REVOLUTIONARY INSTALLATION



LOCK & RIDE CARGO BOX

» 2881527

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21 Includes all mounting hardware for secure installation

LOCK & RIDE D-RINGS

» 2881545

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

NOTSHOWN FIRE EXTINGUISHER HOLDER

» 2882158 POLARIS GENERAL XP 1000/4 '20-21

POLARIS GENERAL 1000/4 '16-21 Fits most 8.25 cm fire extinguishers (not included)









EASILY RECONFIGURE FOR ANY TASK **OR ANY TRAIL**



CAB COMFORT



8-VENT HEATER & DEFROST SYSTEM TOPSELLER

PULSE

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

Not Compatible with Rockford Fosgate Stage 4 Audio Kits

Audio Bracket (2885112) required to install heater on vehicles with Ride Command and audio, sold separately



WINDSHIELD WIPER 8 WASHER SYSTEM TOP SELLER

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

See P. 08 for windshields



CONVEX REAR VIEW MIRROR

» 2881540

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



FLOOR MATS

» 2881934

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



MULTI-FUNCTION CAB LIGHT



• LED dome light provides white, red, green and blue lighting options

 Battery-operated, recharges when

Remove to use as flashlight in and

» 2884047 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '19-21



POLARIS PULSE LED LIGHT BAR HARNESS



· Required to easily add electric components

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '19-21



MADE EASY WITH PLUG & PLAY




- Look for √ to identify Polaris PULSE ready accessories.
- To install accessories, simply plug the harness into the Polaris PULSE hub
- No need to remove nuts and stack wire terminals like a three-post terminal setup
- By plugging in your accessories, a secure connection is guaranteed every time





STORAGE



LOCK & RIDE FALL AVAILABILITY

REAR BED STORAGE RACK

- Take more gear with 2 Kolpin Stronghold XL mounts and integrated MOLLE panels
- 30 or 60 Qt. Polaris Coolers will still fit in bed
- » 2885113

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

LOCK & RIDE FALL AVAILABILITY

KOLPIN STRONGHOLD MOUNT - REAR BED STORAGE RACK

- Kolpin Stronghold mount for attaching gun boots or other Kolpin Stronghold items to a General Rear Rack
- » 2885114

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

KOLPIN STRONGHOLD CASES

PROTECTING

ESSENTIAL

GEAR SINCE

YOUR

1943



KOLPIN STRONGHOLD GUN BOOTS

» XL TRANSPORT • 2882430*

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



» L IMPACT • 2882426*

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



SHEET IN COLUMN

KOLPIN STRONGHOLD AUTO-LATCH MOUNT

Never transport a loaded firearm. Verify firearm is unloaded prior to mounting. Please refer to

local laws and regulations regarding the requirements for the legal transport of firearms.

POLARIS GENERAL XP 1000/4 '20-21



KOLPIN STRONGHOLD POP-UP BLIND/ICE AUGER BOOT

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

GENERAL

LOCK & RIDE

KOLPIN RHINO GRIPS

RHINO GRIP PRO

» 2884107


POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

LOCK & RIDE

RATCHETING RHINO GRIP

» 2881575

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



IDEAL FOR BOWS & UNCASED GUNS

RHINO GRIP XLR

» 2881574 • SINGLE POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



RHINO GRIP XLR - DOUBLES

» 2884108

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



» 2889204

NI=W

POLARIS GENERAL XP 1000/4 '20-21, POLARIS GENERAL 1000/4 '16-21



RUBBER STRAPS

POLARIS GENERAL XP 1000/4 '20-21. POLARIS GENERAL 1000/4 '16-21



GRIZZLY TESTED. POLARIS APPROVED. This cooler is IGBC-approved, meaning it withstands the power expended by a typical grizzly bear if it was trying to get inside. Seriously, there are experts who know what

28, 57 & 99 LITER FEATURES

P&LARIS

NORTHSTAR® COOLER

KEEP IT







POLARIS NORTHSTAR COOLERS CAN SURVIVE JUST ABOUT ANYTHING -FROM EXTREME HEAT TO A NASTY TUMBLE OFF A VEHICLE.

a grizzly is capable of doing, and they certify

our coolers can take it.



99 LITER

- » GRAPHITE 2883426
- » DESERT 2883392



57 LITER

- » GRAPHITE 2883425
- » DESERT 2881259



28 LITER

- » GRAPHITE 2883424
- » DESERT 2881315



14 LITER

» GRAPHITE • 2883968



19 LITER SOFTSIDE

» GRAPHITE • 2883390

ESSENTIAL ACCESSORIES SO YOUR COOLER WORKS AS HARD AS YOU DO

EUGENTIAL AUGEOUGNIEU CO TO				
COOLER ACCESSORIES	99 LITER	57 LITER	28 LITER	DON'T FORGET THESE ACCESSORIES
WIRE BASKET	2883648	2882185	2882438	O HOLLING
DIVIDERS Doubles as cutting board	2883468 COMES WITH ONE DIVIDER 1 way to partition	2882184 COMES WITH TWO DIVIDERS 2 ways to partition	2882186 COMES WITH ONE DIVIDER 1 way to partition	### BOTTLE OPENER BOTTLE OPENER
SEAT CUSHION	NOT AVAILABLE	2882179	2882507	GENERAL CARGO BOXES
WHEELS	2883967	2882180	NOT AVAILABLE	

RIDECOMMAND



RIDE COMMAND 7" DISPLAY

- · 7" High Bright Touchscreen visible in all conditions
- · Displays critical vehicle information for fuel level, coolant temp and battery voltage

POLARIS GENERAL XP 1000/4 '20-21

· Media player with built in AM/FM tuner

» 2884072

- Enhanced Group Ride capability to track and share your ride
- Dedicated shortcut buttons for quick access to features
- Bluetooth and USB smart phone connectivity
- Front camera support for better visibility on and off trail

RIDE COMMAND MOUNT KIT



- · Mount Ride Command seamlessly into the dash for perfect fit and finish
- · Comes with wiring harnesses needed
- Includes front and rear camera, V2V.

» 588**П**583

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '20-21

AUDIO BRACKET

- Used to mount audio amplifier for front and rear speakers when subwoofer is removed
- Required to install a heater on a vehicle with Ride Command

» 2885112

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '20-21

DOWNLOAD THE RIDE COMMAND





AUDIO















An industry first. A true factory installed integrated off-road audio system. Rockford Fosqate partnered with Polaris to purpose build the highest performing

system specifically for the GENERAL platform. Tuned and rider-centric to create a class leading audio experience that is second to none.

STAGE 1 **AUDIO KIT**

PULSE Gertical System

- PMX-P2 HEAD UNIT & FRONT COAXIAL SPEAKERS
- 16.51 cm6.86 cm full color display with AM/FM/WB tuner. Pandora Control and Bluetooth Connectivity
- 50 Watt 16.51 cm front coaxial speakers with enclosures and grilles

POLARIS GENERAL XP 1000/4 '20-21



- · REAR COAXIAL SPEAKERS & AMP
- 2,50 Watt 16.51 cm rear coaxial speakers with enclosures and grilles
- · 400 Watt 4-channel full range amplifier
- · IP67 Rating delivering water resistance and dust protection

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21











• FRONT & REAR COAXIAL SPEAKERS & AMP

- 2,50 Watt 16.51 cm front and rear coaxial speakers with enclosures and grilles
- 400 Watt 4-channel full range amplifier
- · IP67 Rating delivering water resistance and
- » 2885163

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

REQUIRES RIDE COMMAND 7" DISPLAY 2884072 & MOUNT KIT 2884283 (BOTH SOLD SEPARATELY)

UPGRADE • SUBWOOFER

- · Compatible with Stage 1 and Stage 2 PMX-P2 Audio Kits
- 200 Watt 16.51 cm subwoofe
- » 2889053

RIDE COMMAND

STAGE 4

RIDE COMMAND

AUDIO KIT


RIDE COMMAND +

STAGE 4 AUDIO SYSTEM

UPGRADE PACKAGE

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21

BUILD YOUR SOUND



AUDIO:

STAGE 1 AUDIO KIT **STAGE 2 + 4 UPGRADES**

MODEL FITMENT:

FACTORY INSTALLED STOCK AUDIO

STAGE 1 AUDIO KIT WITH PMX-P2 HEAD UNIT

STAGE 1

AUDIO KIT

PMX HEAD UNIT +

FRONT COAXIAL SPEAKERS

DELUXE

PREMIUM

SPORT

STAGE 2 + **REAR SPEAKERS UPGRADE**

REAR SPEAKERS, AMP + **AUDIO BRACKET** 2885162

OPTIONAL SUBWOOFER

STAGE 4 **UPGRADE** *SUBWOOFER*

2889053 NOT COMPATIBLE WITH 8-VENT HEATER & DEFROST SYSTEM (2881316)

INSTALLED

TO ADD 8-VENT HEATER & DEFROST SYSTEM (2881316), SUBWOOFER MUST BE REMOVED AND AMP RELOCATION BRACKET (2885112) MUST BE INSTALLE

RIDE COMMAND 2884072

MOUNT KIT

2884283 2020-2021 MODELS

STAGE 2 UPGRADE

REAR SPEAKERS, AMP + AUDIO BRACKET

STAGE 4 UPGRADE SUBWOOFER

2889053



POLARIS ENGINEERED

Designed for your Polaris Engineered bumper, roof or other mounting point

MAX PERFORMANCE **MOUNTS PERFECTLY**

Validated to work as hard as your machine does

DOESN'T OVERTAX

Trust it to work when you need it to

PRO ARMOR.

ADVANCED TECH

RIGID lights are driven by Aluminum PCB Smart Boards, 6063-T5 aircraft aluminum extruded housings and Tiger Drylac UV protection polyester powdercoating.

EXCLUSIVE OPTICS

RIGID invests heavily in optical science and has patented multiple optics and optics systems, maximizing light output and efficiency.

RUGGED CONSTRUCTION

Pro Armor lights are designed to be big and beefy with an aggressive style all their own, and housed in IP67 marine-grade rated UV polyester powdercoating.

MASSIVELY BRIGHT

Pro Armor builds bright lights designed for any riding experience. All that power is directed through heat dissipating aluminum for streamlined heat management.

LIGHT BAR TYPES



SR-SERIES PRO

Sleek, powerful, low-profile (under 5 cm tall). Lights extreme distances with low energy usage. Available in 25.4 cm & 81.3 cm



D-SERIES PRO

Compact to fit almost anywhere with high output and low energy usage. Available in Driving, Flood & Spot



DUAL-ROW LED LIGHT BARS

The most spread and farthest illumination downrange. Easy to mount.

Available in Cube, 25.4 cm, 50.8 cm & 76.2 cm



SINGLE-ROW LED LIGHT BARS

Powerful, compact, low-profile light bars with sleek look.


Available in 27.9 cm, 83.8 cm & 101.6 cm



CUBE LED LIGHTS

Small size allows mounting in strategic locations for added lighting. Available in Flood & Spot


LIGHT BAR OPTIONS



BUILD YOUR VISION

Consider the Optics, Angle & how you will use your vehicle to choose the right light or set of lights.






ADD A HARNESS TO MOUNT YOUR LIGHTS

	LIGHT BAR SET-UPS					
MODEL	1 LIGHT IN 1 LOCATION ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 1 SWITCH	2 LIGHTS IN 2 LOCATIONS ON 2 SWITCHES			
<i>2019-2020</i> All Models	POLARIS PULSE LED LIGHT BAR HARNESS 2883785	POLARIS PULSE LED LIGHT BAR HARNESS 2883785 Y-HARNESS 2879860	POLARIS PULSE LED LIGHT BAR HARNESS (x2) 2883785			

⚠ No battery connection cables required on any model/model year POLARIS GENERAL 1000.

All RIGID and Pro Armor lights are Polaris PULSE ready.

ACCENT LIGHTING

















WAYS TO STOP Wheles Stores

PRO ARMOR PERFORMANC

• Every tire is designed and constructed with longevity in mind

· 3,000+ mile rated 4,828 kilometers)

KNOW YOUR

TERRAIN

PREMIUM PROTECTION

- · Pro Armor makes tires with extra protection exactly where it's needed most-the sidewall
- · Triple-belted sidewalls keep your tires more resistant so you can keep going

TOUGHEST TIRES

- · Higher ply ratings mean added protection
- · Pro Armor builds 8 or 10-ply rated tires for higher puncture-resistance

TIRES BY SIZE

27"	28 "	29"	30"
MUD XC	HARVESTER	DUAL-THREAT	CRAWLER XG
HARVESTER	CRAWLER XR	MUD XC	ATTACK 2.0
	ATTACK 2.0	но-к	HARVESTER
	CRAWLER XG		CRAWLER XG

TIRES BY TERRAIN

TRAIL	ROCK	DESERT	MÜD	X UTILITY	》 学 SNOW
CRAWLER XR	CRAWLER XR	CRAWLER XR	мир хс	HARVESTER	ATTACK 2.0
CRAWLER XG	CRAWLER XG	CRAWLER XG		PRESERVE	ATTACK
MUD XC	DUAL-THREAT	ATTACK 2.0		хр-к	HARVESTER
ATTACK 2.0	ATTACK 2.0	ATTACK		HD-K	XD-K
ATTACK		DUAL-THREAT			нд-к
DUAL-THREAT					
HARVESTER					
PRESERVE					
хр-к					
HD-K					

KNOW YOUR TIRES

	× 9" ort Num		FRONT/ REAR	30 mm	18 kg	10	3	499 kg
TIRE	TIRE	WHEEL	R	TREAD	TIRE	PLY	SIDEWALL	LOAD
HEIGHT	WIDTH	DIAMETE		DEPTH	WEIGHT	RATING	BELTS	RATING

TREAD DEPTH

Deeper treads have more grip in all conditions

USAGE

Where can you

use the tire

PLY RATING Indicates tire puncture-resistance

LOAD RATING How much weight can the tire handle

TIRE WEIGHT

A lighter tire makes for improved vehicle performance

SIDEWALL BELTS

Increase your resistance to sidewall punctures

WHEELS BY SIZE

14"	15" +
40-SERIES (7 TIRE OPTIONS)	50-SERIES (6 TIRE OPTIONS)
4201 (AMPLIFY)	5201 (CYCLONE)
4202 (BUCKLE)	5202 (FLARE)
4301 (COMBAT)	5301 (HALO)
4203 (REBLR)	5203 (HEXLR)
4204 (SHACKLE)	5204 (WYDE)
4205 (SIXR)	
HD DUAL BEADLOCK	

KNOW YOUR WHEELS

STEP 1: SELECT YOUR SERIES

4 = 40-SERIES 5 = 50-SERIES

STEP 2: CHOOSE YOUR LOAD RATING

1 = <800 LBS 2 = 801 - 1,300 LBS 3 = 1,301 - 1,600+ LBS

STEP 3: PICK YOUR STYLE OFFSET / BEADLOCK / COLOR

INCREASE OFFSET FROM STOCK = NARROWER STANCE DECREASE OFFSET FROM STOCK = WIDER STANCE





PRO ARMOR CRAWLER XR

- Wanna race? This tire grips it all from the trail to the rocks
- · Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	28" × 10" R14 5415536	FRONT/ REAR	16 mm	15 kg	8	3	517 kg

PRO ARMOR CRAWLER XG

20 mm







SINGLE DUROMETER

- Smaller lug height, added rigidity and lateral stability when cornering
- · Unique lug design excels in hard-packed, fast terrain



WHAT **CRAWLER**

ARE YOU?



DUAL-

DUROMETER

• Taller lug height

Perfect balance between high-speed performance, durability and flex in order to grip slick rock





FRONT/REAR



PRO ARMOR ATTACK 2.0 • Engineered for excellent hard-pack performance

- Dual-compound technology and radial construction offer performance in all terrains
- · Tight thread pattern for a quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
15"	28" * 10" R15 5416344	FRONT/	ae.	15 kg	10	_	503 k
15"	30" * 10" R15 5416345	REAR	25 mm	17 kg	10	3	560 k

TIGHTER TREAD PATTERN =

DUAL-DUROMETER LUG = Increased grip & traction in rough terrain, smoother 10-PLY RATED =

LARGER SIZE OFFERING IN 28" = More ground clearance & trail traction

WHEEL SIZE

FRONT/REAR





PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- · Unique, full-face tread design
- · Harder durometer lugs promote extended wear, increasing tire life
- · Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	26" × 9" R14 5415613	FRONT	20	13 kg	8		413 kg
14"	26" * 11" R14 5415614	REAR	23 mm	15 kg		3	599 kg

FRONT/REAR





· Big or small, these tires crawl them all

rock crawling and desert running

30" × 10" R14

28" × 10" R15

30" × 10" R15

• A soft, sticky compound makes this tire ideal for both

• 8-ply, triple-belted ballistic sidewalls resist punctures

PRO ARMOR DUAL-THREAT

• Dual-compound technology and radial construction offer performance in all terrains

17 kg

15 kg

18 kg

SIDEWALL

RATING

581 kg

498 kg

581 kg

- ullet Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration

anu	ionger treatime						
			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	26" × 9" R14 5416340	FRONT		12 kg	10	3	413 kg
141	26" × 11" R14 5416341	REAR	16 mm	14 kg			499 kg
141	29" × 9" R14 5416342	FRONT	10 mm	14 kg			499 kg
141	29" × 11" R14 5416343	REAR		16 kg			599 kg

FRONT/REAR



DUAL-COMPOUND = MORE GRIP + LONGER LIFE



- Firmer Durometer Rubber = Longer Life
- 2 Softer Durometer Rubber = More Grip

PRO ARMOR MUD XC

- Designed for the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life
- ullet 10-ply construction, means added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	29" × 10" R14 5416946	FRONT/ REAR		18 kg	10		630 kg
14"	27" × 9" R14 5416947	FRONT	30 mm	14 kg		3	531 kg
14"	27" × 11" R14 5416948	REAR		15 kg			599 kg

FRONT/REAR







UTILITY FEATURE	HARVESTER	PRESERVE	XD-K	HD-K	
8,047 Kilometer Rated Long life and performance	X	X			
10-Ply Rated Higher ply ratings means added protection	X	X	X	X	
Low Impact Tread Easy on soil		X			
Heavy Duty Tread Aggressive tread pattern for all day work on farms or ranches	X		X	X	
Turf-Friendly Easy on grass and farm yard	X	X			
Aramid Fiber Belt 5x times stronger than steel and lighter			X	X	
Wide Range of Sizes For exactly how you want to use your machine	30", 28", 27", 26"	27", 26"	26"	29"	







PRO ARMOR HARVESTER

- All-around work horse with tread life of 8047 km
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12" 12"	26" × 8" R12 5416396	FRONT	16 mm	11 kg	10	3	388 kg
15"	26" × 10" R12 5415966	REAR		15 kg			615 kg
14"	27" × 10" R14 5415965	FRONT/ REAR		15 kg			599 kg
14"	28" × 10" R14 5416347	FRONT/ REAR		15 kg			630 kg
15"	30" × 10" R15 5417529	FRONT/ REAR		17 kg			599 kg



FRONT/REAR







PRO ARMOR XD-K

- \bullet 26" Aramid fiber-belted tire to tackle any terrain
- Unique full-face tread design
- ${f \cdot}$ Harder durometer lugs promotes extended wear, increasing tire life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12" 12"	26" × 9" R12 5415756	FRONT		13 kg	10	3/1	388 kg
12" 1	26" × 11" R12 5415757	REAR	31.7 mm	15 kg		Aramid	499 kg

FRONT/REAR





PRO ARMOR PRESERVE

- Turf-friendly for areas where low-impact from tire tread is needed
- Rounded profile and special tread pattern to limit footprint

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
12" ↓	26" × 8" R12 5416403	FRONT		11 kg			388 kg
12" ↓	26" × 10" R12 5416402	REAR	16 mm	13 kg	10	3	599 kg
14"	27" × 10" R14 5416348	FRONT/ REAR		13 kg			599 kg

FRONT/REAR









PRO ARMOR HD-K

- ullet Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple belted sidewall provides extreme sidewall protection and extends
 the tire life.
- ullet Quad belt tread core offers superior protection and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING
14"	29" × 10" R14 5417507	FRONT/ REAR	31.75 mm	18 kg	10	3/1 Aramid	598 kg

FRONT/REAR



WHEELS























15"

FRONT/REAR

50-SERIES

1 5201 (CYCLONE)

WEIGHT: 7.8 kg | LOAD RATING: 590 kg | OFFSET: +4

MATTE BLACK: FRONT/REAR 15" × 7" 1523184-458

WEIGHT: 7.7 kg | LOAD RATING: 726 kg | OFFSET: +38

WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: +55

MATTE BLACK: FRONT/REAR 15" × 7" 1522550-458

WEIGHT: 8.1 kg | LOAD RATING: 590 kg | OFFSET: +4

MATTE BLACK: FRONT/REAR 15" × 7" 1523102-458

FRONT/REAR 15" × 7" 1523102-266

MATTE BLACK: FRONT/REAR 15" × 7" 1523266

● 5204 (WYDE) ○

© 5202 (FLARE)

9 5301 BEADLOCK (HALO)

FRONT/REAR 15" × 7" 1523282

FRONT/REAR 15" × 7" 1523184-266



14"

40-SERIES

△ 4201 (AMPLIFY) ○

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 7" 1522956-266 ACCENT: 14" × 8" 1522957-266 MATTE BLACK: FRONT

⑤ 4202 (BUCKLE) ○

FRONT WEIGHT: 5.8 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.1 kg | LOAD RATING: 590 kg | OFFSET: -9

ACCENT: 14" × 8" 1522545-266 MATTE BLACK: FRONT 14" × 8" 1522545-458

9 4301 BEADLOCK (COMBAT)

WEIGHT: 7.3 kg | LOAD RATING: 729 kg | OFFSET: +38

FRONT/REAR 14" × 7" 1523284 MATTE BLACK: FRONT/REAR 14" × 7" 1523283

4203 BEADLOCK (REBLR)

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.6 kg | LOAD RATING: 590 kg | OFFSET: -9

14" × 7" 1522238-458 MATTE BLACK: FRONT 14" × 8" 1522239-458

⑤ 4204 (SHACKLE) **○**

FRONT WEIGHT: 5.9 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 6.4 kg | LOAD RATING: 590 kg | OFFSET: -9

ACCENT: 14" × 7" 1522546-458 14" × 8" 1522547-458

4205 (SIXR) 0

FRONT WEIGHT: 4.8 kg | LOAD RATING: 408 kg | OFFSET: +4 REAR WEIGHT: 5.7 kg | LOAD RATING: 590 kg | OFFSET: -9

MATTE BLACK: FRONT 14" × 7" 1521507-521 REAR 14" × 8" 1521508-521 FRONT 14" × 7" 1521507-410 14" × 8" 1521508-410 REAR

ANEW

6 HD DUAL BEADLOCK

FRONT/REAR

WEIGHT: 18.1 kg | LOAD RATING: 725.7 kg | OFFSET: +38 MATTE BLACK: FRONT/REAR 14" × 7" 1524022-458

5203 BEADLOCK (HEXLR) •

WEIGHT: 7.3 kg | LOAD RATING: 590 kg | OFFSET: +38 MATTE BLACK: FRONT/REAR 15" × 7" 1522435-458

O LUG NUTS REQUIRED

(A)	voodoo Bide	1022244-019
₿	Machined	1522244-266
©	White	1522244-133
o	Indy Red	1522244-293
€	Orange Crush	1522244-589
F	Matte Black - Replacement Only used on 5301 (HALO)	1523146-458

14" FORGED BEADLOCK RINGS

15" FORGED BEADLOCK RINGS Only used on 5203 (HEXR) PART#

Matte Black 1523147-458

KNOW YOUR WHEELS

STEP 1: SELECT YOUR SERIES 4 = 40-SERTES 5 = 50-SERIES

STEP 2: CHOOSE YOUR LOAD RATING 1 = <800 LBS 2 = 801 - 1,300 LBS 3 = 1,301 - 1,600 + LBS

> STEP 3: PICK YOUR STYLE OFFSET / BEADLOCK / COLOR

INCREASE OFFSET FROM STOCK = NARROWER STANCE **DECREASE OFFSET FROM STOCK = WIDER STANCE**

KNOW YOUR TERRAIN



TRAIL

ATTACK 2.0

2883160

2883159

2883158

2883157

2883162

2883161

2883154

50-SERIES

5201 (CYCLONE)

5201 (CYCLONE)

Matte Black

5202 (FLARE)

5202 (FLARE)

Matte Black

5301 (HALO)

5301 (HALO)

5203 (HEXLR)

5204 (WYDE)

Matte Black

Matte Black

Matte Black

Accent BEADLOCKS PRE-MOUNTE ATTACK 2.0

2883169

2883168

2883167

2883166

2883171

2883170


2883163





REPLACEMENT CAPS

WHEEL & TIRE SETS



UTILITY ROCK

CRAWLER XG

2883188

2883187

2883186

2883185

2883190

2883189

2883182

2883183

HARVESTER

2885045

2885046

2885047

2885048

2885049

2885051

	I DEARLES				
	LUSTER	ALL WHEELS EXCEPT 5203 (HEXLR) & 5204 (WYDE)	1521509-410		
	MATTE Black		1521509-521		
	LUSTER	E202 (UEVLD)	1522243-410		
	MATTE Black	5203 (HEXLR)	1522243-458		
	MATTE BLACK	ALL WHEELS	5457498-458		
	PRO AI	RMOR 🕥	(a)		
	LUSTER	ALL WHEELS EXCEPT 5203 (HEXLR) & 5204 (WYDE)	5453209-410		
	MATTE Black		5453209-458		
	MATTE Black	5204 (WYDE)	1523063-458		
	LUSTER		1523015-410		
	MATTE Black	5203 (HEXLR)	1523015-458		
_	12n	nm × 1.5 SPI	LINED		



16 SPLINED LUG NUTS WITH WRENCH ADAPTER	2879332
4 SPLINED LUG NUTS WITHOUT WRENCH	2879331
12mm x 1.5 SPLINED LUG WRENCH	2204966



COLBY VALVE SHORT ULTIMATE VALVE - 2 PACK



COLBY COMBO VALVE KIT (16 PACK)

> Includes 8 ultimate valves and 8 emergency valves

» 2883294



INDIVIDUAL WHEELS & TIRES COMPLETE SETS AS LISTED

Exclusively at Polaris Authorized Dealers

33 O LUG NUTS REQUIRED

CRAWLER XG 🔮

2883179

2883178

2883177

2883176

2883181

2883180

2883173

2883174

PLOWS & TRACKS

GLACIER問

» 183 cm or 168 cm Blades

GLACIER PRO HD GIVES YOU

» Choice of poly or steel » Manual angle system standard





	3	
CREATE YOUR	STEP 1	STEP 2
PLOW SYSTEM	SELECT A MOUNT	SELECT A FRAME

I-II HEAVY DUTY SERIES

MILITARY TESTED & APPROVED

FEATURES

TESTED **1,200+** PULLS AT MAX LOAD

WINCHES


OPERATES FULLY SUBMERGED

PRO HEAVY DUTY SERIES

BUILT TO WITHSTAND

-29°C TEMPERATURES


ALL POLARIS ENGINEERED **WINCHES COME WITH:**







NOT AVAILABLE



3. Set Dial to ROPE RECOVERY (H)



WITH ALUMINUM FAIRLEAD

ADD AUTO STOP UPGRADE

SYNTHETIC ROPE REQUIRED

WITH STEEL ROLLER FAIRLEAD

ADD SYNTHETIC ROPE

2879187

Stops winch at end of pull to prevent driveline stress and plow overlifting











MODEL	2041 kg	2041 kg
POLARIS GENERAL XP 1000/4 '20-21	2883861	2883860

POLARIS GENERAL 1000/4 '19-21

STEP 3 SELECT A LIFT METHOD STEP 4 SELECT A BLADE STEP 5
SELECT ACCESSORIES STEP 1 SELECT A MOUNT MOUNT FRAME **ACCESSORIES** MODELS WINCH BLADES **POLARIS GENERAL** 2881763 Polaris PRO HD 2041 kg Winch 183 cm Steel 183 cm Blade Snow Deflector 2858541 2880260 XP 1000/4 **183 cm HD Wear Bar** 2879875 TOP SELLER 2883861 '20-21 **183** cm Wear Bar 2204976 POLARIS GENERAL XP 1000/4 '20-21 168 cm Polv POLARIS GENERAL 1000/4 '19-21 168 cm Blade Snow Deflector 2879866 2880269 POLARIS GENERAL **168 cm HD Wear Bar** 2879868 **Hydraulic Plow Angle** 1000/4 168 cm Wear Bar 2879867 168 cm Steel 2885102 '16-21 Plow Marker 2872726 POLARIS GENERAL 1000/4 '16-18 **168 cm Blade Plow Shoe** 2208864 **Hydraulic Plow Controller Shear Pin** 2205527 Replacement T Shear Pin 2204829 2883391 Extension for Tracks 2880267 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21 **Heavy Duty Deflector** 2884160 **GLACIER HD GIVES YOU**

PLOW SYSTEM » Choice of poly or steel » Manual angle system standard 168 cm POLY BLADE 168 cm STEEL BLADE Best for big jobs year after year

DURABLE BLADES Choose a steel blade for longevity and increased rigidity or a lightweight non-stick, poly blade that's easier on plowing surfaces.

CREATE YOUR PLOW SYSTEM	STEP 1 SELECT A MOUNT	STEP 2 SELECT A FRAME	STEP 3 SELECT A LIFT METHOD	STEP 4 SELECT A BLADE	STEP 5 SELECT ACCESSORIES
MODELS	MOUNT	FRAME	WINCHES	BLADES	ACCESSORIES
POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21	2883256	2882927	Polaris HD 2041 kg Winch 2883860 POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '19-21	168 cm Poly 2880269 168 cm Steel 2880268	168 cm Blade Snow Deflector 2879866 168 cm HD Wear Bar 2879868 168 cm Wear Bar 2879867 Plow Marker 2872726 168 cm Plow Shoe 2208864 Shear Pin 2205527 Replacement T Shear Pin 2204829



PROSPECTOR PRO TRACK MOUNTS

POLARIS GENERAL 1000/4 '16-21

· Install in place of tires and wheels. Tracks sold separately,

AND FAIL AVAILABILITY » 2880649 » 2885117

POLARIS GENERAL XP 1000/4 '20-21

PROSPECTOR PRO TRACK

POLARIS GENERAL 1000/4 '16-21 POLARIS GENERAL XP 1000/4 '20-21 If using Glacier Pro Plow System, Track Plow Extension is required (2880267)

We build our products so anyone with the right tools can maintain their vehicle from their own garage - and get them back on the trails where they belong.

MAINTENANCE TTP

BREAK-IN PERIOD

The break-in period for your new GENERAL is the first 25 hours of operation, or the time it takes to use the first two tanks of fuel. No single action on your part is as important as a proper break-in period. Careful treatment of a new engine will result in more efficient performance and longer life for the engine.

NOTICE: Excessive heat build-up during the first three hours of operation will damage close-fitted engine parts. Do not operate at full throttle or high speeds for extended periods during the first three hours of use.

AIR FILTERS

FOR THE LIFE OF YOUR RIDE

A clogged air filter can restrict air flow to the engine leading to reduced engine performance. engine life or catastrophic failure.

BRAKE PADS

Maintaining and/or replacing brakes are critical to the safety and functionally of a vehicle. Brake pads should be checked for wear and oil or grease (petroleum products) contamination and brake discs should be checked for cracks, excessive corrosion or warning.

HALF SHAFT

Check for tear and nunctures in the hoot which can lead to CV joint wear that can contribute to axle failure.

DRIVE BELTS

Polaris Engineered belts deliver unmatched performance for your off-road vehicle. Developed and tested on all our engines for all environments and conditions. Check your belt for delamination, hour glassing and glazing.

BREAK-IN PERIOD

- · Use lower gear (if available) while varying speeds and avoiding wide open throttle for 8-16 km
- · If no low gear is available, vary at moderate speeds while avoiding wide open throttle for 80 km

OUR INVESTMENT

- · 32,187 km of field testing
- · Thousands of dyno hours
- 18+ months of development (3,000+ design hours) per belt
- 1200+ vehicle validation hours
- · Collaboration with powertrain & clutch engineers

VOUR ADVANTAGE

- · No clutch recalibration
- Less wear & tear due to heat
- · Ensure maximum vehicle performance
- More time riding, less time wrenching
- Produced in collaboration with powertrain and clutch engineers to ensure a perfect fit, maximum performance and ultimate durability

BATTERIES

To ensure a battery maintains its level of charge when unused for extended periods of time or during freezing weather, the battery should be connected to a BatteryMINDer, P. 46. Be sure to check for corrosion from the terminals to the ends of the cables.

OIL FILTERS

Change oil filters with every oil change to provide the best engine protection and keep the engine operating at peak performance.

FOLLOW RECOMMENDED SERVICE INTERVALS IN THE OWNER'S MANUAL

MAINTENANCE SCHEDULE

25 HRS / 400 km

BREAK-IN MAINTENANCE

ENGINE OIL: CHANGE

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS, CABLES, ETC.

> **AIR FILTER: INSPECT & REPLACE AS NEEDED**

EXHAUST SYSTEM: INSPECT & CLEAN

INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

MONTHS

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS. CABLES, ETC.

> DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

MONTHS

ENGINE OIL: CHANGE

100 HRS / 1600 km

DRIVE BELT: INSPECT & ADJUST REPLACE AS NEEDED

> **TRANSMISSION** FI LITD: CHANGE

AIR FILTER: INSPECT & REPLACE AS NEEDED

EXHAUST SYSTEM: INSPECT & CLEAN

MONTHS

150 HRS / 2400 km

ENGINE OIL: CHANGE

BATTERY: TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

TIRES:
INSPECT CONDITION & PRESSURE

EXHAUST SYSTEM:

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

MONTHS

200 HRS / 3200 km

ENGINE OIL: CHANGE

BRAKE PADS & FLUID: INSPECT & CLEAN
REPLACE BRAKE FLUID REPLACE AS NEEDED

> **SPARK PLUGS:** INSPECT REPLACE AS NEEDED

AIR FILTER: INSPECT & REPLACE AS NEEDED

EXHAUST SYSTEM:

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

MONTHS

250 HRS / 4023 km

ENGINE OIL: CHANGE

BATTERY: TEST, CLEAN, & CHECK FLUID LEVEL REPLACE AS NEEDED

DRIVE BELT: **INSPECT & ADJUST** REPLACE AS NEEDED

GENERAL LUBRICATION: ALL FITTINGS, PIVOTS. CABLES, ETC

INSPECT & CLEAN SCREEN
TYPE SPARK ARRESTOR



ENGINE OIL: CHANGE

AIR FILTER: INSPECT & REPLACE AS NEEDED

300 HRS / 4828 km

GEARCASE & TRANSMISSION: REPLACE FLUIDS

EXHAUST SYSTEM: INSPECT & CLEAN INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

CHECK YOUR OWNER'S MANUAL FOR ADDITIONAL RECOMMENDED **SERVICE ITEMS** AND VEHICLE-SPECIFIC TIMING

INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR **INSPECT & CLEAN EXHAUST SYSTEM:** INSPECT FOR LEAKAGE OR **INSPECT & CLEAN** INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN CARBON BUILD UP AT JOINTS INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT FOR LEAKAGE OR CARBON BUILD UP AT JOINTS INSPECT & CLEAN SCREEN TYPE SPARK ARRESTOR

POLARIS

PS-4

KIT

FULL SYNTHETIC

4-CYCLE ENGINE OIL

OIL CHANGE

5W-50

PS-4 EXTREME OUTY

KIT

A-CYCLE ENGINE OIL

OIL CHANGE

10W-60

- High-strength film protection withstands extreme heat, stress and sustained high RPM conditions
- Extremely shear stable, maintains

OTL CHANGE KITS

POLARIS


DRV

MAINTENANCE

These convenient kits include everything you need to change your oil. The correct filter and oil volume for your vehicle.

PS-4	PS-4 EXTREME DUTY			
PART NUMBER	VEHICLE FITMENT	PART NUMBER		
2202166	RANGER/RZR/SPORTSMAN 570, TWIN 600, TWIN 700, TWIN 800	2879004		
2879323	RANGER, POLARIS GENERAL, RZR 900/1000, RS1	2879324		
2877473	RANGER/ SPORTSMAN 300-500, SPORTSMAN/SCRAMBLER500/850/1000	2878924		
2881696	RZR TURBO	2881697		

CLEAN ENGINE, LOWER DEPOSITS



Lower Number = Less Deposits, Cleaner Engine Operates at Peak Performance.

ASTM Test D6335

OIL DEVELOPMENT

SPECIFIC NEEDS,

POLARIS INVESTS IN EACH OIL AT AND ABOVE THESE LEVELS.









Clean Engine Test

100 HR Polaris Endurance Dynamometer Engine Test Platform: RZR 1000 Oil Used: PS-4 5W50

potential engine damage.

CAMSHAFT: Direct acting overhead camshafts are used on many Polaris engines. In this application the camshaft pushes directly on the valve, creating very high contact pressures compared to other camshaft

configurations. These forces are so great that inferior

oil can break down leading to increased wear and

P&LARIS

ENGINEERED PARTS

ONLY THE BEST WILL DO

To create the best oil for any terrain, we invest

in rigorous testing to ensure our oil delivers the

WHAT COUNTS IN OIL TESTING: 1. Does it protect the engine at high temperatures? 2. Does it keep the engine free from carbon and buildup?

Polaris engineers focus on key areas within the engine when evaluating engine oil and its ability to protect the

consistency and performance you demand.

3. Does the oil hold its viscosity over time?

life of your ride. Critical checkpoints include:

PISTON RINGS & RING LANDS: Extreme pressure

to these parts require high lubricant film strength.

Poor oxidative performance can lead to carbon and

varnish buildup, which results in poor ring seal and

fuel dilution of the oil. These can result in loss of

ROD BEARINGS: Engine bearings on an oil with low film strength and thinner viscosity can lead to

premature wear or even engine failure.

power and accelerated engine wear.

ENGINE CHECKPOINTS

FOR THE LIFE OF YOUR RIDE

& LUBRICANTS

ADVANCED FUEL TREATMENT

MAINTENANCE **FLUIDS**




ENGINE OIL

Maximum protection for your 4-cycle engine.

Change every 100 hours 6 months or 800 km.











use in Polaris hydraulic brakes. Change every 200 hours, 3200 km or every 2 years.

» 355 mL • 2872189



ANTI-FREEZE

Prevent corrosion on metal components, eliminate scaling, and maximize cooling system

Change every 60 months.

- ».95 L 2880514
- » 3.8 L 2880513
- » 208 L 2880512

DEMAND DRIVE FLUID

Provide positive 4WD engagement in

extreme cold or high head conditions

and protect internal components

Change every 100 hours or yearly

under heavy loads.

» .95 L • 2877922

» 9.5 L • 2877923



» 2830551

LUBRICANT

ACCESSORIES

with ease.

» 2830550

FLUID FUNNEL

Easily add oil with

high accuracy » 2830552

FLUID TRAY

OIL FILTER WRENCH

· Remove Polaris ORV oil filters

FLUID SYRINGE

· Holds up to 8 quarts of fluid.

- Easily add and remove fluid from your vehicle.
- » 2830553



GREASE GUN

- » Enables easy application of grease.
- » 2871312
- FITS 2871322 ALL-SEASON AND 2871515 U-JOINT 88.7 mL



2D BATTERY-OPERATED SIPHON PUMP

- Liquid transfer numns 5-6 quarts/min suctioning power.
- » 2830513



FLEX SPOUT

- Fits all Polaris quart, gallon and 2.5 gallon bottles
- » 2871285



PUMP

- Fits 1 and 2.5 gallon bottles.
- » 2870465

ORV MAINTENANCE KIT

AGL

Protect gears, drive chain, and

12 months or 1600 km. » .95 L • 2878068

» 3.8 L · 2878069

» 9.5 L • 2878070

» 208 L • 2879594

bearings from scoring and wear.

- Everything you need, in the correct fluid volumes, to maintain your drive train, and keep your vehicle in top
- Includes: 1.4 L AGL, .95 L Angle Drive Fluid, 1 pint Demand Drive Fluid, 38 mL tube of All-Season Grease
- » 2880425



SUSPENSION/ U-JOINT GREASE

A heavy-duty lubricant formulated with molybdenum disulfide to accept the high shock applications of Polaris ATV shaft drive universal joints.

Add every 50 hours, 3 months or 800 km.

- » 89 mL 2871515
- » 414 mL 2871551



- ALL-SEASON **GREASE TUBE** Snecialized water
- resistant lubricant
- » 414 mL 2871423



ANGLE DRIVE FLUID

- Extreme pressure. anti-wear and high viscosity film lubrication for maximum protection
- .95 L 2876160
- » 9.5 L 2872276

RZR ANGLE DRIVE GEAR CASE SYSTEMS



GENERATOR

- » .95 L 2879383



CARBON

- · Illtimate fuel and injection
- » 355 mL 2881413



- Nual Antioxidant formula protects iets and fuel system from

 - » 9.5 L 2881417



PREMIUM GAS SHOCK OIL

- Snecialized shear stable blend containing high levels of anti-wear anti-foam & oxidation
- » .95 L 2870995
- » 9.5 L 2872279 FOX REBUILDABLE SHOCKS

10WT GAS SHOCK OIL

- Specialized fluid to ensure proper gas shock absorber action
- » .95 L 2874124 WALKER EVANS REBUILDABLE SHOCKS



anti-wear and shock protection

2872348

» 473 mL AEROSOL







SERVICE PARTS

Polaris Engineered service parts deliver unmatched performance and fit for your off-road vehicle.

All service parts are engineered specifically for your machine. Which means everything is designed, tested and perfected to maximize the life of your ride. Getting Polaris Engineered parts is a decision that pays off in the long run, because it ensures there is a long run.



VISIT YOUR POLARIS DEALER TO SHOP FOR SERVICE PARTS.



FOR THE LIFE OF YOUR RIDE

Maintenance is the key to keeping your Polaris off-road vehicle performing at its peak. Items like belts, lubricants, and batteries represent only a few of these critical items engineered specifically by Polaris.



POLARIS ENGINEERED **DRIVE BELTS**

TESTED, PERFECTED

We test each belt on the intended vehicle - we don't just try to make an existing belt "just work".

- Amery Kuhl, Polaris CVT System Engineer

OUR INVESTMENT

- · 32,187 km of field testing
- Thousands of dyno hours
- · 18+ months of development (3,000+ design hours) per belt
- · 1200+ vehicle validation hours
- · Collaboration with powertrain & clutch engineers

YOUR ADVANTAGE

- · No clutch recalibration
- · Less wear & tear due to heat
- Ensure maximum performance of your vehicle
- · More time out riding, less time wrenching

OUR INVESTMENTS ENSURE POLARIS BELTS



SAND



MUD



All Polaris parts are developed and tested to help you get the most out of your ride. Now, we're taking the passion of our riders, workers, and outdoor enthusiasts to the next level with HD Parts.

HEAVY DUTY PARTS

Engineered & designed for:

- Greater durability
- Enhanced performance
- · All weather conditions


• Greater wear & tear capabilities

N=W

WHEELS & TIRES

Class leading durability for off-road performance and traction for confident driving in extreme conditions.

- » 1524022-458 HD WHEEL 14x7 (SHOWN)
- » 5417507 PRO ARMOR HD-K 29x10R14 (SHOWN)
- » 5457498-458 HD WHEEL CENTER CAP (SHOWN)
- » 5415756 PRO ARMOR XD-K FRONT
- » 5415757 PRO ARMOR XD-K REAR



*Claims made based off testing and performance of Polaris HD Parts against standard OEM parts made by Polaris and competitor brands under normal use.

For more information regarding Polaris HD parts including vehicle compatibility, installation, and maintenance, please contact your authorized Polaris ORV dealer.

N=W



EXTREME



EXTREME HEAT UP TO 54° C



HEAVY PAYLOADS



EXTENDED LIFE

44



BatteryMINDer®

ENSURE YOUR RIDE IS READY WHEN YOU ARE.

- · Add years of capacity, power and range to new and older batteries, regardless of type or brand
- · Never over- or under-charged in any temperature
- · Leave your vehicle connected for months and return to fully charged and conditioned batteries
- · Recover older or weak batteries that would normally need to be replaced

- · Charge and maintain extra backup batteries as well as those in your vehicle
- · Automatic turn-on, sleeps while keeping your batteries at full charge
- Easy push-button selector to change battery type or time











			_		
	2012 AGM 2-AMP	2012 LEAD ACID 2 AMP	1510 1.5 AMP	1.5 AMP CONVERTIBLE	
PART NUMBER	2830438	2830531	2830404	2830511	
VOLTAGE	12 V	12 V	12 V	12 V	
CHARGING CURRENT	2AMP	2AMP	1.5AMP	1.5AMP	
OVERCHARGE PROTECTION		Yes			
BATTERIES MAINTAINED	6 at or	one time 4 at one time		one time	
BATTERY COMPATIBILITY	12 V Sealed AGM Lead-Acid	12 V Flooded (filler ca	ooded (filler cap) and Sealed Maintenance-Free Batteries		
COMES WITH	• Non-fused battery clip cord set with Quick Connector	BC-2410: 61 cm Non-fused battery clip cord set with Quick Connector RTA-2415: 61 cm Fused ring terminal cord set with Quick Connector ATS-1: Ambient Temperature Sensor	Ambient temperature sensor (installed) 3.7 m power cord Battery clip cord set with Quick Connector Optional permanent mounting tab	Auto-temp compensation sensor (installed) Optional permanent mounting brackets 8 screws Battery clips (fully-insulated, aircraft grade, 15A replaceable fuse, Ring terminal assembly with 15A replaceable fuse	
KEY FEATURES	Designed for high- performance specialty AGM sealed batteries	Diagnoses battery's condition - can predict failing batteries	Easy to use, economical	Convertible on-vehicle or bench top use	

BATTERY MAINTENANCE

xtend your battery life ith a BatteryMINDer nd these tips.

- Store batteries in a cool, dry location.
- Check that the battery connections are tight. Cables should not be able to be rotated or shifted by hand.
- If your battery has a drain tube, make sure it is free of clogs.
- Clean your battery use a soft brush to scrub the top of the battery. Use baking soda
- Connect a BatteryMINDer after using your vehicle even if the vehicle is in regular use.

BatteryMINDer ACCESSORIES



BatteryMINDer 3.7 m CABLE

- Made with heavy-duty 16 gauge black zip cord featuring automotive SAE
- » 2830410



BatteryMINDer VPP-12:12/24 VOLT VEHICLE POWER PLUG

- · Allows easy connection to vehicle's battery through lighter or 12/24V power port with replaceable 15 amp fuse
- » 2830518



BatteryMINDer SPLITTER

- · Connect two batteries simultaneously for easy
- · Cap includes a set of
- » 2830409



BatteryMINDer RING TERMINAL

- · Features 61 cm long 18-gauge wire
- Plug has standard .8 cm negative and .95 cm
- Replaceable 15 amp in-line
- » 2830437



BatteryMINDer EZ CONNECT

- Allows for quick and easy connecting and disconnecting of your BatteryMINDer
- · Includes a set of ring terminals
- » 2830411

TIRE SEALANT

HOW IT WORKS

Tire sealant remains liquefied inside your tire until a leak develops in the tire or wheel.



HOW MUCH TIRE SEALANT DO YOU NEED?

TIRE TIRE OUNCES REOUIRED HEIGHT X WIDTH (IN.) (IN.) **PER TIRE**

PREMIUM TIRE SEALANT

- · Instantly seals and repairs rim, bead leaks, and punctures up to 0.64 cm on standard tires, and 1.9 cm on heavy ply tires
- · Helps maintain air pressure for the life of the tire
- · Helps seal the tire bead against the wheel
- · 100% water soluble for easy cleanup
- · Will not rust, corrode, or pit wheels
- Remains fluid and effective in temperatures down to -43° C
- · Easily installed through existing tire valve stem with valve core removed
- » 946 mL · 2830484
- » 3.8 LITER 2830485
- » 19 LITER 2830486 » 19 LITER PUMP • 2830487
- » 208 LITER 2830489
- » 1041 LITER 2830488

24 X 7 COVERAGE | BE PREPARED FOR ANYTHING

SHOP ACCESSORIES



POLARIS X3 CREEPER

- Three positions: flat, 45-degree angle or seated work stool
- · Helps you perform any repair with ease
- Stay dry and warm away from cold, wet cement floors
- Easily stores away when not in use
- » BLACK 2830429



POLARIS MAGNETIC PARTS TRAY

» SILVER • 2830432



POLARIS 30.5 cm HI-TORQUE RATCHETING DRIVER

» BLACK / BLUE • 2830434



POLARIS 8.4 cm TELESCOPIC MAGNET

» BLACK • 2830435



POLARIS LED POCKET FLASHLIGHT

» BLACK • 2830436

REPAIR KIT

· A quick trail side fix to increase trail time

CV BOOT

- The flexible and durable boot material expands over a cone tool for CV boot repairs, without disassembling CV axles
- Universal fit works as a temporary fix for most powersports axles
- · All components fit inside the cone, and a cover is provided for compact durable storage
- · Easily fits in a cargo box, attached to the roll cage, in the glovebox, or many other storage locations



UTV CV BOOT REPAIR KIT

Kit includes the following items:

- (1) Expandable XL CV Boot
- (1) Reusable Cone Tool
- (2) CV Boot Clamps
- (1) Tube of Silicone Lube
- (1) Grease Packet
- (1) Cone Cover » 2830526


UTV TRAIL BOOT ONLY

» 2830527


ATV

- » CV REPAIR KIT
- 2830528 » TRAIL BOOT ONLY 2830529


HOW TO INSTALL




Remove wheel and axle nut.




Remove brake caliper, hub, tie rod, & Remove old boot & clean joint. upper & lower ball inints.






Spread silicone lube on entire cone tool. Slide boot over cone tool, large end first. See package for outer boot instructions.



joint/boot, clean sealing points & caliper, axle nut, tire & wheel.



Empty the bag of grease into the CV Reassemble tie rod, ball joints, brake

Refer to your service manual for further instructions and torque specifications. *Designed for temporary CV boot repair. Purchase the OEM CV Boot for a permanent repair.

KEEP IT CLEAN

VEHICLE

SHINE |

MUD SHIELD PRE-TREATMENT

- · Inhibits the adhesion of dirt, mud, and snow, making cleaning your vehicle
- » 473 mL AEROSOL



POLARIS

- Easy protection and shine-spray on, wipe off, and go. For ideal use on painted and plastic surfaces. Contains carnauba wax.
- » 335 mL



VEHICLE & **EQUIPMENT WASH**

- Concentrated professional grade formula powers through vehicle buildup, dirt and grease with a spot-free rinse. Treat up to Biodegradable product.
- » 3.8 L 2830417
- » 19 L 2830422



SHOP



- » 200 CT WITH DISPENSER (SHOWN) 2830402
- » 200 CT REFILL 2830403
- » 64 CT REFILL 2830440



SCRUBBER WIPES

- » 90 CT 2830441
 - » 3.8 L 2830414
 - » 19 L 2830416



Professional-grade formula removes built-up stains from shop floors, work benches, and other hard surfaces. VOC-free, environmentally-friendly,

ALL-PURPOSE

HD CLEANER 8 DEGREASER

- · Professional-grade, biodegradable, high-foaming formula dissolves and removes tough stains and soils.
- » 3.8 L 2830418
- » 19 L 2830420

TRAILERING



CALIBER RAMP PRO

- Designed for ATVs and UTVs up to
- Integrated grip glides for ultimate traction
- Folding sides for easy transportation

VERSATILE 3 IN 1 FUNCTIONALITY

HOOK

» 132 cm × 229 cm • 2884576

3:1 HITCHES

BALL -

Ball, pin and hook design

 Durable, rust resistant steel with black powdercoated finish

HITCH WITH 5 cm BALL

» 5 cm x 5 cm RECEIVER

» 3 cm x 3 cm RECEIVER

2830523

RECEIVER

» 5 cm RECEIVER TONGUE

» FRONT HTTCH RECEIVER

HITCH

2875320


2878846

HITCHES.



ALUMINUM ARCHED LOADING RAMPS

- » 193 cm × 30.5 cm 907 kg 2875384
- » 224 cm × 30.5 cm 1361 kg 2875386



LIGHTWEIGHT TRI-FOLD RAMPS

- · Ramp folds up for transport
- · Capacity for up to 680.7 kg
- · Safety straps included » 183 cm × 130 cm • 2875385
- · Safety straps included » 224 cm × 30.5 cm • 2875387

FOLDING ALUMINUM

ARCHED RAMPS

· Capacity up to 1361 kg

RATCHET STRAP

· Heavy duty webbing

· 2495 kg maximum load, 831 kg working load » 2884031

• 3.8 cm x 4.6 m straps, 2 Pack

· Ramp folds up for transport

» 208 cm × 130 cm • 2875860

STRAPS & ROPES



- · Comes with carry bac
- » 2884033



4.8 cm BALL 4.8 cm replacement hall for hitch

· Removable ball

• HD 1.6 cm pin and clip

- · Designed to work with 3:1 Hitch
- » 2830524

TRAILER BALL

1.9 cm SHANK

- » 4.8 cm BALL 2877602
- » 5 cm BALL 2877603






RATCHET STRAP

- 5 cm x 6.1 m Ratchet Straps
- Heavy duty webbing, floating D-rings,
- 4536 kg maximum load, 1497 kg working load

» 2884032



SHOCK STRAPS

- · Keeps tension on tie-down straps to
- » 3.8 cm x 4.6 m 2883296
- » 3.8 cm x 2.1 m 2883295

COVERS



TRAILERABLE COVER BY POLARIS

- » 2-SEAT 2881841
- POLARIS GENERAL XP 1000 '20-21 POLARIS GENERAL 1000 '16-21
- » 4-SEAT 2881787 POLARIS GENERAL XP 4 1000 '20-21 POLARIS GENERAL 4 1000 '17-21




POLARIS SxS CAMO FIELD COVER

POLARIS GENERAL XP 1000/4 '20-21 POLARIS GENERAL 1000/4 '16-21



PCLARIS POWER



1600

Running

Watts

2000 16.

Max Amps

at 120V

POLARIS

POWER P2000

Run Time at 25%

Load w/ Smart

Throttle (hrs)

Starting

Watts

NEW P2000i **Inverter Generator**

FEATURES

Extension Cord

ACCESSORIES

2830532

2830536 INVERTER PARALLEL KIT

ALL WEATHER COVER





Multi Functional

Digital Display

Illuminated Multi Handle Design Control Panel



Parallel Capable

2830540



Tailgating



Off-Grid





2879383

2884865 HIGH ALTITUDE MODIFICATION KIT GENERATOR OIL

62

Noise Level at

25% Load (dBA)



NEW P3200iE

Inverter Generator



2830533

Remote Start



Extension Cord Management



Parallel Capable

Running Watts

2800 Starting Watts

Max Amps Run Time at 25% Load w/ Smart at 120V Throttle (hrs)

Noise Level at 25% Load (dBA)

FEATURES



Multi Functional Digital Display





Camping





DIY Remodeling



One Room Backup





HIGH ALTITUDE MODIFICATION KIT 2884866 2879383 GENERATOR OIL

ACCESSORIES

Fuel Gauge

2830536 2830541

INVERTER PARALLEL KIT ALL WEATHER COVER

PCLARIS POWER



NI=W P5500 Open Frame Generator

2830534

Running Watts

5500 5000 Starting Watts

Max Amps Run Time at 120/240V (hrs)

75

Noise Level (dBA)

FEATURES



Extension Cord Management



Rough Terrain Wheel



Home Backup

Construction

BEST USED FOR



RV'ing



2879383 GENERATOR OIL



N=W P6500

Open Frame Generator

2830535

Running Watts

6000 6500 Starting Watts

Max Amps at 120/240V

75 Run Time Noise Level (dBA) (hrs)

FEATURES



Extension Cord Management



Fuel Gauge



Electric Start

ACCESSORIES



Rough Terrain Wheel

2830542

2884867



Construction

BEST USED FOR

Home Backup



RV-ing



ALL WEATHER COVER

HIGH ALTITUDE MODIFICATION KIT

2879383 GENERATOR OIL

ACCESSORIES

Electric Start

2884867

2830542 ALL WEATHER COVER HIGH ALTITUDE MODIFICATION KIT



OFF-ROAD RIDING JERSEYS

S-3XL

- · Mesh ventilated panels for maximum airflow
- · Elastic sleeves with non-restrictive cuffs

OFF-ROAD RIDING GLOVES

S-3XL • Adjustable wrist closure for a custom fit · Silicon finger grips and neoprene knuckle protection





JERSEY | 2860646 **GLOVE** | 2860641



JERSEY | 2860647 **GLOVE** | 2860642



JERSEY | 2860648 **GLOVE** | 2860643



JERSEY | 2860649 **GLOVE** | 2860644



JERSEY | 2860650 **GLOVE** | 2860645

TEKVEST



TEKVEST SUPERSOFT

S-3XL | 2862190

- · Zip-off fleece collar diffuses rising body heat to reduce fogging
- Drop-tail design for extended coverage · 2-stage pockets



TEKVEST FREESTYLE

S-3XL | 2862189

- Strong, protective ultra high molecular weight panels cover shoulders
- Front and rear mesh panels promote cooling airflow



TEKVEST YOUTH 70-100 lbs | 2862191

- · Adjustable side straps and arm straps
- Strong, protective ultra high molecular weight panels



Cooling fabric designed with sun protection in mind. Our chemical-free fabric Coolcore reduces the surface temperature on our cooling shirt up to 30%, so you don't overheat. It carries a 50 Ultraviolet Protection Factor rating, the highest attainable, blocking 98% of harmful UV rays.

SHORT SLEEVE COOLING SHIRTS

MEN'S S-3XL | 2860634

WOMEN'S S-3XL | 2860636

RAIN SUIT





RAIN JACKET GRAY

S-3XL | 2869527

RAIN PANTS GRAY S-3XL | 2869528

- 100% waterproof lightweight and packable nylon
- YKK Zippers
- · Rain jacket has removable hood



509 ALTITUDE 2.0 HELMET

Lightweight Design, performance-infused style and features with all-day comfort

carbon fiber or fiber glass WEIGHT

- · Composite as low as 1,260g
- · Carbon fiber as low as 1,150g

 $\cdot \ \mathsf{Strong}, \mathsf{lightweight} \ \mathsf{construction} \ \mathsf{of}$

FEATURES

- Superior fit for all-day comfort
- · Removable Pro Series breath box provides excellent ventilation and air flow
- · One-piece eye-port creates draft-free seal with 509 goggles
- · Magnetic Fidlock chin-strap technology and integrated GoPro mount
- DOT- and ECE 22.05-approved



NIIW

TENACITY 4.0 HELMET

Combination of modern style and premium protection with incredible value

SHELL

- Shock-resistant, injection-molded thermoplastic

- · 1,500g

FEATURES

- · Through-flow, full-helmet ventilation ProClip quick release chin strap allows you to
- fasten the chin strap in seconds
- · Removable breath box
- · Tool-less adjustable roost shield
- · Removable, washable liner
- DOT- and ECE 22.05-approved

GOGGLES









KINGPIN 509 DIRT GOGGLE

Premium Materials, attractive price

- · Oversized spherical lens delivers optimal peripheral vision
- · Metal tear off posts provide strength and durability
- Quick-change technology allows you to run the best lens tint for conditions



TRAIL GOGGLE

Clear Vision at a Great Value

- Offers a distortion-free view with anti-scratch, anti-fog and UV-blocking technology
- · Large lens opening enables greater peripheral vision





FORCE **JACKET**

Versatile, lightweight jacket ideal for layering or wearing as a casual jacket.

MEN'S | S-3XL | 2861432



S-3XL | 2861433 WINDBREAKER

JACKET

Lightweight, windproof jacket that provides protection while riding.

- 100% polyester windproof fabric
- · 3 external pockets allow for maximum storage

S-3XL | 2861541

WINDBREAKER

JACKET



· Removable hood and underarm venting

WOMEN'S

MEN'S

FLANNEL JACKET **WORK JACKET** BRONZE FOREST GREEN S-3XL | 2860864 S-3XL | 2860862

FLANNEL JACKET

FORCE

JACKET

This stylish flannel jacket is designed to keep you riding on brisk days. Soft yet durable brushed flannel with a Sherpa fleece lining offers excellent insulation without the bulkiness of a winter jacket.

WORK JACKET

S-3XL | 2860865 This warm and rugged jacket was engineered to be tough enough for work yet stylish enough for play.

External features:

CHARCOAL

- · Constructed of Nylon 6, a durable, tear-resistant non-stretch woven fabric
- · Coated with Durable Water Repellency (DWR) to provide water-resistance in the elements
- Four external pockets for maximum gear storage

NEW BLACK

GRAY

Internal features:

- Internal zipper pocket



TECH QUARTER ZIP

Excellent for ride layering, comfortable and stylish stand-alone.

WOMEN'S

BLACK

S-3XL | 2861447

BLUE

S-3XL | 2861443

MEN'S



BLACK S-3XL | 2861442

NORTHSTAR MID LAYER

Breathable fleece mid-layer is perfect for adding warmth or as a stand-alone shirt.



BLACK/RED S-3XL | 2861445



- 80 gram 3M Thinsulate for added warmth
- · Built in action back for increased range of motion
- · Brushed flannel trim



NEW

One-Size GRAY | 2861531 NAVY | 2861532 BLACK | 2861533 PINK | 2861549

MAROON | 2861537

BADGE TRUCKER HAT



TONAL HAT

L/XL BLACK | 2861526 NAVY | 2861525



NEW **CORE HAT**

One-Size NAVY | 2861523 BLACK | 2861524



NEW **CHECKERED HAT**

One-Size NAVY | 2861520 GRAY | 2861521 BLACK | 2861522



POLARIS **GENERAL HAT**

NEW

WOMEN'S

ALL-IN TEE

S-3XL

BLACK | 2861598

OLIVE | 2861599

GRAY S/M | 2868748 **GRAY L/XL** | 2868749

HATS & T-SHIRTS

GENERAL





NEW MEN'S PERFORMANCE LONG SLEEVE S-3XL



NEW MEN'S **CREW SWEATSHIRT** S-3XL

MEN'S ICON HOODIE

S-3XL

BLACK | 2861496

GREEN | 2861495

LIFESTYLE

GREEN | 2861498 NAVY | 2861497



POLARIS

NEW WOMEN'S ICON HOODIE S-3XL MAROON | 2861507 BLACK/PINK | 2861506

NEW

WOMEN'S CHECKERED

HOODIE

S-3XL

BLACK | 2861609

BLUE | 2861610



POLARIS

NEW MEN'S BACK GRAPHIC TEE S-3XL

GRAY | 2861568 NAVY | 2861569










BLACK/BLUE | 2861494 **GRAY** | 2861493







CAMO POLY HOODIE S-3XL BLACK | 2860718



MEN'S CAMO TEE S-3XL GRAY | 2860709 BLACK | 2860710



HUNTER CAMO HOODIE S-3XL OLIVE | 2868716 GRAY | 2860728



CAMO HOODIE \$-3XL WOMEN'S | 2867898 MEN'S | 2867879



CAMO FULL ZIP S-3XL OLIVE | 2869590



CAMO TRUCKER HAT

One-Size

BLACK | 2860613

PINK | 2860614









17oz WATER BOTTLE 2861611



12oz CAMPER MUG 2861612



N=W 15oz CAMPFIRE MUG 2861613

RECREATION/GARAGE



EVENT FOLDING CHAIR 2861617



FOLDING TABLE 2861620



POLARIS WOOD SIGN (26.7 cm x 61 cm) 2860866



NECK GAITERS One-Size CAMO | 2861948 BLACK | 2861953

COLLECTIBLES



KEYCHAIN 2861614



LEATHER KEYCHAIN 2861616



2861615



BOTTLE OPENER 2860818



ADVENTURE ADVENTURE



